

LOT 99 'ELEVATE ESTATE' ORMEAU HILLS QLD

*Full Turnkey
Home & Land Package*




FARADAY 213 HAMPTONS

Artist Impression. For marketing purposes only. Rendered images may depict fixtures, colours, finishes or features not supplied by Karston Building Group. Please refer to the standard inclusions list for clarification. House design is subject to council requirements and covenants approval. Facade details may vary depending on covenant guides. Please refer to final plans and contract for sqm and specifications.

FIXED PRICE BUILDING CONTRACT FOR PEACE OF MIND
FULL TURN KEY INCLUSIONS INCLUDING FENCING & LANDSCAPING
CEILING HEIGHT 2740MM TO GROUND LEVEL, 2440MM TO UPPER LEVEL
DUCTED AIR CONDITIONING
RENDERED BLOCKWORK TO SIDE AND REAR ELEVATIONS
STONE BENCHTOPS TO KITCHEN, BATHROOMS AND LAUNDRY
2 PAC CABINETS WITH FINGERPULLS THROUGHOUT
WALL HUNG VANITIES WITH ABOVE COUNTER BASINS
900MM STAINLESS STEEL UPRIGHT COOKER
UNDERMOUNT SINK + GOOSENECK TAPWEAR TO KITCHEN & LAUNDRY
600 X 600 RECTIFIED PORCELAIN FLOOR TILING
DIAMOND BARRIER SCREENS TO WINDOWS & SLIDING DOORS
QUALITY CARPETS, MIRRORED ROBES & ROLLER BLINDS THROUGHOUT
EXPOSED AGGREGATE DRIVEWAY AND ALFRESCO

\$945,900

HOUSE SIZE	213M ²
LAND SIZE	331M ²
LAND PRICE	\$489,000
HOUSE PRICE	\$456,900
TOTAL PRICE	\$945,900
INITIAL DEPOSIT	\$1000
EST. REGISTRATION	JULY/AUG 2024



FARADAY 213 HAMPTONS

Whilst all details have been carefully prepared and are believed to be correct at time of publication, no warranty can be given either expressly or implied from this property brochure. Intending purchasers should review all documentation provided prior to signing any contracts. Illustrations, images and floor plans in this brochure are strictly for presentation purposes only.



ARTISTIC IMPRESSION ONLY
© COPYRIGHT



Copyright, Reproduction in Whole or in Part is Strictly Forbidden.

Client:

Site Address:

AMENDMENTS	No.	Description.	House Type:	
	A		FARADAY 213 Mk.2 RH - Hamptons	
	B			
	C			
	D			
	E			
	F		Drawn By: KJ	Checked By: VK
	G		Scale: As Shown on A3 Page	
	H		Job No.	Page No.
	I			
	J			
	K			
	L		Rev. - Plot Date 25/11/2022	

FARADAY 213 Mk.2 - RH - Hamptons

PERSPECTIVES


GENERAL NOTES:
Figure dimentions take precedence to scaled dimensions.
Internal dimensions between framing, etc. do not include the allowance for lining thicknesses.
Angled walls shall be 45° unless noted otherwise.

Separate W/C rooms to have Lift off Hinges


All Bathrooms, W/Cs, Ensuities and Laundries, without Natural Ventilation (windows) to have Mechanical Exhaust Fans.

Post & Columns
⊕ = SHS
■ = Timber


AREA TABLE		
	Area	SQ METRES:
1	LOWER LIVING	71.05
1	UPPER LIVING	89.33
2	GARAGE	37.20
3	ALFRESCO	8.96
4	PORCH	7.04
		213.58 m²




Ground Floor Plan
Scale 1:100


<div> KARSTON BUILDING GROUP</div> <div>Copyright, Reproduction in Whole or in Part is Strictly Forbidden.</div>	Client:	<div>AMENDMENTS</div> <table><tr><th>No.</th><th>Description.</th></tr><tr><td>A</td><td></td></tr><tr><td>B</td><td></td></tr><tr><td>C</td><td></td></tr><tr><td>D</td><td></td></tr><tr><td>E</td><td></td></tr><tr><td>F</td><td></td></tr><tr><td>G</td><td></td></tr><tr><td>H</td><td></td></tr><tr><td>I</td><td></td></tr><tr><td>J</td><td></td></tr><tr><td>K</td><td></td></tr><tr><td>L</td><td></td></tr></table>	No.	Description.	A		B		C		D		E		F		G		H		I		J		K		L		House Type:
	No.		Description.																										
A																													
B																													
C																													
D																													
E																													
F																													
G																													
H																													
I																													
J																													
K																													
L																													
Site Address:		<div>FARADAY 213 Mk.2 RH - Hamptons</div>																											
<div>GROUND FLOOR PLAN</div>																													
			Drawn By: KJ	Checked By: VK																									
			Scale: As Shown on A3 Page																										
			Job No.	Page No.																									
			Rev: - Plot Date 25/11/2022																										

GROUND FLOOR PLAN







Elevation 1
Scale 1:100



Elevation 3
Scale 1:100




Elevation 2
Scale 1:100



Elevation 4
Scale 1:100








EAVES 450 UNO







 KARSTON BUILDING GROUP		
Copyright, Reproduction in Whole or in Part is Strictly Forbidden.		
Client Name:		
Site Address:		
AMENDMENTS	No.	Description.
	A	
	B	
	C	
	D	
	E	
	F	
	G	
	H	
	I	
	J	
	K	
L		
House Type:		
FARADAY 213 Mk.2 RH - Hamptons		
Issue: WD	Checked By: VK	
Drawn By: KJ	Scale: As Shown on A3 Page	
Job No.	Page No.	
Rev. - Plot Date 25/11/2022		


ELEVATIONS

- PHONE LEAD IN MUST BE NBN COMPLIANT
 - SMOKE ALARMS TO BE INTERCONNECTED & IN ACCORDANCE WITH NCC CLAUSE 3.7.2.2 & COMPLY WITH AS 3786
- ALL WET AREA GPO'S ARE TO HAVE MINIMUM CLEARANCE FROM BASINS AS PER AS3000


MB - Meterbox
DW - Dishwasher
MW - Microwave
REF - Refrigerator
HWS - Hot water system
RH - Rangehood
UB - Under Bench
Ph.Pt. - Phone Point

Electrical Items		
Fitting	Quantity	Symbol
Air Con Unit	1	
Ceiling Fan	7	
Data Point	3	
Double GPO @ 1050mm	5	
Double Power Point	3	
Double Power Point @ 300	7	
Exhaust Fan with LED IN 1	2	
Light - Downlight	39	@


Electrical Items		
Fitting	Quantity	Symbol
Phone Point	1	
Single Power Point	5	
Single Power Point - External	1	
Smoke detector	7	
Tastic - 3 in 1	2	
TV Point	2	



Scale 1:100




Scale 1:100



Smoke Alarm Legend

- LOCATION OF WET AREA POWERPOINTS SUBJECT TO MOVE TO COMPLY WITH ELECTRICAL REQUIREMENTS

- DUCTED A/C

 KARSTON BUILDING GROUP		
Copyright, Reproduction in Whole or in Part is Strictly Forbidden.		
Client Name:		
Site Address:		
AMENDMENTS	No.	Description.
	A	
	B	-
	C	-
	D	-
	E	-
	F	-
	G	-
	H	-
	I	-
	J	-
K	-	
L	-	
House Type: <div style="text-align: center; font-weight: bold; color: red;"> FARADAY 213 Mk.2 RH - Hamptons </div>		
Issue: WD		
Drawn By: KJ	Checked By: VK	
Scale: As Shown on A3 Page		
Job No.	Page No.	
Rev. - Plot Date. 25/11/2022		

ELECTRICAL


DISCLOSURE PLAN PROPOSED LOT 99

This plan is to be read in conjunction with the disclosure statement prepared for this lot.



Cancelling part of Lot 1000 on SP310686
Locality of Ormeau Hills

- These notes form an integral part of this plan. No part of this plan may be reproduced without these notes being included.
- All dimensions and areas shown are subject to final survey and relevant local authority approval.
- This plan has been prepared for issue to a buyer as a disclosure plan under the Land Sales Act 1984. It is not to be used for any other purpose.
- Levels and contours shown on this plan are not to be used for building design or construction; a topographical survey of the site is required.
- Any engineering detail (retaining walls, etc.) shown on this plan is indicative only and subject to construction and relevant local authority approval.
- For further detail regarding services, facilities and features which may have relevance to the proposed lot, reference should be made to the Development Application approval conditions, the approved operational works drawings and current engineering drawings.

Contour Interval – 0.5 metre

- Design Contours
 Retaining Wall (Due to plotting limitations the retaining walls shown are not to scale and are indicative only)
- | | |
|--------|--|
| HW 1.0 | Height of Highest Point of Wall (Metres) |
| LW 0.2 | Height of Lowest Point of Wall (Metres) |
| AW 0.6 | Average Height of Wall (Metres) |

Compaction of fill will be done in accordance with Australian Standard AS 3798–2007, under Level 1 inspection and testing by the nominated Geotechnical Inspection and Testing Authority.

- × 0.1 Cut/Fill, calculated between design and existing surface contours
-  Area to be Cut, as supplied by Mortons Urban Solutions on 18/09/19
-  Area to be Filled, as supplied by Mortons Urban Solutions on 18/09/19


Lot levels and earthworks derived from Engineering Drawings.

Meridian: MGA Zone 56 ☒ Yes ☐ No
 Contour Height Datum: AHD




urban planning, surveying
& development

Brisbane Mackay
 PO Box 3128, West End QLD 4101 PO Box 11711, Mackay Caneland QLD 4740
 Ph: 07 3118 0600 Ph: 1300 278 783
brisbane@dtsqld.com.au mackay@dtsqld.com.au



Scale 1:250 – Lengths are in Metres.



B A	CONTOURS UPDATED ORIGINAL ISSUE	07/10/21 31/10/19	AA AC	AV AV	DISCLOSURE PLAN ORMEAU DEVELOPMENTS PTY LTD STAGE 2 DALMA STREET, ORMEAU HILLS	Dwg No: A3–5872/99	Issue: B
						Project: BNE180307	
						File: B180307Dis2.dwg	
Issue	Details	Date	Drawn	Checked			



KARSTON
BUILDING GROUP

KARSTON BUILDING GROUP

Quality Standard Inclusions




When building you want to be **confident** that everything you need is included in your new home.

At Karston, we believe that our standard inclusions are the best, redefining the **benchmark of living**. Every one of our homes are **full turn key** with landscaping, driveway, fencing, **Lithostone®** benchtops to the kitchen, LED downlights, ducted air conditioning and a **COLORBOND®** steel roof as standard.

We believe in absolute **transparency** to give you total **peace of mind** that you're getting the best value possible.



2740MM CEILING HEIGHT*



DUCTED AIR CONDITIONING



LITHOSTONE® BENCHTOPS



600 X 600MM TILES OR
TIMBER LOOK FLOORING



LANDSCAPING, DRIVEWAY
AND FENCING



PLUS MUCH MORE! *REFER TO DETAILED SCHEDULE

KITCHEN INCLUSIONS



FIXTURES AND FINISHES

- 2 Pac gloss, matt, or timber look cabinetry with soft close hinges and finger pull doors and drawers (no handles) with bulkhead, overhead cupboards and microwave recess
- 20mm Lithostone® benchtops with breakfast bar
- 900mm upright stainless steel gas cooktop and oven in one
- Undermount rangehood built in to overhead cabinetry
- Window or tiled splashback
- Stainless steel dishwasher
- Single fridge water connection

SINKS & TAPWARE

- Flickmixer gooseneck tapware – chrome/satin plated
- Stainless steel 1 ½ bowl undermount sink



KITCHEN INCLUSIONS



KITCHEN SINK MIXER
AC HUSS GOOSENECK SINK
MIXER CHROME



KITCHEN SINK
EURO HELSINKI
1.75 UNDER COUNTER SINK



COOKTOP & OVEN
TECHNIKA 900MM UPRIGHT
STAINLESS STEEL GAS
COOKTOP AND OVEN IN ONE



UNDERMOUNT RANGEHOOD
TECHNIKA 900MM CONCEALED
UNDERMOUNT RANGEHOOD

DISHWASHER
BELISSIMO BY TECHNIKA
600MM DISHWASHER



LIVING INCLUSIONS



FLOORING

- Selection of 600 x 600 porcelain tiling to entry, kitchen, pantry, living zones and wet areas OR vinyl plank timber flooring to entry, kitchen, pantry and living zones
- Quality carpet to all bedrooms and/or living as per plans and builders range selected colour scheme

ELECTRICAL

- Lighting – White fitted LED lights as per electrical plan
- External lighting – porch, alfresco and front of garage
- Double power points to all internal living areas as shown on plan
- Single power points to garage and kitchen
- Ducted air conditioning
- Air-con isolator on external wall

- 1 telephone point
- TV Antenna (if not in a Smartwire – OptiComm or Telstra Velocity area)
- RCD Safety switch
- 2 TV Points
- 2 Data Points
- White ceiling fans to all bedrooms, living and alfresco as shown on plans
- Instantaneous gas hot water system
- External power point to service gas hot water system
- Exhaust fan to toilets where shown on plans
- Smoke alarms to all bedrooms and applicable internal areas to conform with legislation at time of Building Approval

LIVING INCLUSIONS



CEILINGS AND FIXTURES

- 2740mm ceilings
- Architrave 66mm x 11mm and Skirting 66mm x 11mm
- 90mm cornice
- Ceilings and walls 10mm plasterboard
- Wet area walls 6mm villa board or 10mm waterproof plaster board

PAINT

- Internal 3 coat paint system (1 coat of sealer and 2 coats of colour)
- Custom colour scheme if requested
- White colour finish to all ceilings and cornice
- White internal walls premium sealer and professional low sheen
- Doors – Aquanamel as per selected colour scheme
- Architraves, skirting and all doors are full gloss as per selected colour scheme

ROBES AND LINEN

- Vinyl robe doors with brushed aluminium frame to robes in living areas, and mirrored robes to bedrooms
- Shelving: overhead shelf, hanging rail and set of pigeon hole cupboards to all robes, 2 to master, 4 shelves to linen and walk in pantry, if a broom cupboard is provided a single overhead shelf is to be installed

INTERNAL DOORS AND HANDLES

- Roller blinds to all clear glazed windows and sliding doors
- Brushed silver Gainsborough/Lanes/Lockwood or equivalent door hardware with privacy to master and wet areas
- Door stops and/or clips to all swing doors
- Hume redicote flush finish pre-hung with chrome or satin hinges to internal doors

ENSUITE AND BATHROOM INCLUSIONS



VANITY

- Cabinetry – option of either 2 Pac gloss, matt or timber look wall hung vanity
- Solid soft close doors
- 20mm Lithostone® benchtops
- Frameless mirror to width of vanity

BASINS AND TAPWARE

- Above counter basins to bathrooms
- Flickmixer tapware to shower/bath and vanity



SHOWER


- Shower screen – clear laminated in powder coated aluminium surround. Pivot or sliding door
- Built in niches to showers
- Floor to ceiling wall tiles to showers
- Upgraded shower heads (dual control rain heads)

BATH

- Built in and tiled bath hob
- Drop in acrylic white bathtub to bathroom only

THE DETAILS

- 3-in-1 Tastic heat lamp with light and exhaust as per plan
- White 3.5 star ceramic toilet with soft close plastic toilet seat where shown on plan
- Chrome double towel rail to bathroom and ensuite from builders range as per plan
- Chrome toilet holder adjacent each toilet from builders range as per plan
- Feature tile option includes running floor tile up a selected wall in the showers, as well as up and over the bath hob as per plan
- Tiling to wet area walls is floor to ceiling in showers and 1100mm to the remaining walls in bathroom and ensuite



ENSUITE AND BATHROOM INCLUSIONS



SHOWER
FIENZA KAYA TWIN
SHOWER CHROME



BATH OUTLET
IKON HALI STRAIGHT
BATH OUTLET CHROME



BATHROOM BASIN
ESSENCE ROUND
COUNTER TOP BASIN
WHITE



TOILET
VOGUE KENT
TOILET SUITE



BASIN MIXER
IKON HALI HIGH RISE
BASIN MIXER CHROME



SHOWER/BATH MIXER
IKON HALI SHOWER/BATH
MIXER CHROME



BATH
DECINA BAMBINO BATH
WHITE

LAUNDRY INCLUSIONS



FIXTURES AND FINISHES

- 2 Pac gloss, matt, or timber look cabinetry to laundry to match the kitchen
- 20mm Lithostone® benchtops

SINKS & TAPWARE

- Drop in 35L or 45L stainless steel tub
- Flickmixer gooseneck tapware – chrome/satin plated



LAUNDRY SINK

EURO WASHINGTON
SQUARE UNDER COUNTER SINK



LAUNDRY SINK MIXER

AC HUSS GOOSENECK SINK
MIXER CHROME

EXTERNAL INCLUSIONS



WINDOWS AND DOORS

(Design and facade specific)

- Hinged front entry door – 1200mm x 2100mm Hume range with frosted glass panels, painted in accordance with selected colour scheme and manufactures specification
- Hinged rear door (if depicted on plans) to be 1/3 Glass Duracote Temp Glass, painted in accordance with selected colour scheme and manufacturers specification
- Aluminium powder coated windows and doors, obscured to wet areas unless street and/or park facing
- Aluminium powder coated screen with frame and plastic fly mesh to all openable sides of sliding doors and windows

EXTERNAL CLADDING

(Design and facade specific)

- Brick rendered and/or cladding external walls with feature cladding

- Windows and doors to have fibre cement cladding and/or beading above where required unless otherwise noted on elevations
- Locks to all windows and sliding doors

ROOFING AND GARAGE

(Design and facade specific)

- Roof material COLORBOND® (from standard builders selection)
- COLORBOND® fascia, gutter & PVC painted downpipes as per plan
- COLORBOND® automatic wide panel lift lock up garage door with 2 remotes
- Soffit/eave lining 4.5mm fibre cement sheet
- 31 x 11 finger joint beading to seal eaves and wall joint

EXTERNAL INCLUSIONS



FRAME

- To be constructed in accordance with current Building Regulations, National Construction Code and Australian Standards
- Timber Frame and Trusses to be erected in accordance with current National Construction Code and Australian Standards N2/N3 wind rating unless alternative wind rating specified by structural engineer/certifier
- 2740mm ceiling height to ground level/ 2440mm to upper levels as indicated on architectural working drawings
- Building structure to meet building classification
- Termite treatment – perimeters and penetrators as per Australian Standards
- Site cut and fill where required to a maximum of 500mm (cut & fill)
- Footings and/or screw piers and slab and/or suspended floor constructed depending on site conditions to engineers specifications
- Building Services Authority Insurance (6 years 6 months' structural warranty from commencement date as per QBCC New Home Warranty)

PRELIMINARIES

- Council/Certifier Building approval to current Legislation Standards. Architectural Drawings may require minor modifications to gain approval.
- Council plumbing approval to current Legislation Standards
- Energy efficiency compliance to National Construction Code
- 12 Month maintenance period from date of handover.
- Developer Covenant Approval – minor design amendment may need to be made to the roof, external finish and colours to gain approval

EXTERNAL INCLUSIONS



ALFRESCO

(Design and facade specific)

- Under roof alfresco with exposed aggregate

LANDSCAPING

- Turf/pebble and or mulch to site where possible with a garden bed to front

DRIVEWAY

- Exposed aggregate driveway
- Exposed aggregate alfresco and front porch

FENCING

- Timber paling fencing to rear, sides and returns where no existing fence provided to site
- Fence to include 1 single gate with timber paling finish
- Pine and/or face brick rendered feature posts to porch where applicable

OTHER FINISHES

- Wall or fence mounted clothesline
- Mail box with applicable street number to match home
- Gas regulator or gas meter fixed to external wall or fence

MINIMUM 6 STAR ENERGY RATING

- Bulk ceiling and/or external wall insulation to achieve required energy rating
- Wall sarking to achieve required energy rating

SPECIFICATIONS OF WORKS

PRELIMINARIES & APPROVALS

- Council/Certifier Building approval to current Legislation Standards. Architectural Drawings may require minor modifications to gain approval
- Council plumbing approval to current Legislation Standards
- Energy efficiency compliance to National Construction Code
- Building structure to meet building classification
- Termite treatment – perimeters and penetrators as per Australian Standards
- Site cut and fill where required to a maximum of 500mm (cut & fill)
- Footings and/or screw piers and slab and/or suspended floor constructed depending on site conditions to engineers specifications
- Building Services Authority Insurance (6 years 6 months' structural warranty from commencement date as per QBCC New Home Warranty)
- 12 Month maintenance period from date of handover
- Developer Covenant Approval – minor design amendment may need to be made to the roof, external finish and colours to gain approval

FRAME

- To be constructed in accordance with current Building Regulations, National Construction Code and Australian Standards
- Frame and Trusses to be erected in accordance with current National Construction Code and Australian Standards N2/N3 wind rating unless alternative wind rating specified by structural engineer/certifier
- 2740mm ceiling heights to ground level as indicated on architectural working drawings
- Frames to be supplied in timber

EXTERIOR FINISHES

- Roof material COLORBOND® (from standard builders selection)
- COLORBOND® fascia, gutter & PVC painted downpipes as per plan
- COLORBOND® automatic wide panel lift lock up garage door with 2 remotes

- Hinged front entry door – 1200mm x 2100mm Hume range with frosted glass panels, painted in accordance with selected colour scheme and manufactures specification
- Hinged rear door (if depicted on plans) to be 1/3 Glass Duracote Temp Glass, painted in accordance with selected colour scheme and manufacturers specification
- Aluminium powder coated windows and doors, obscured to wet areas unless street and/or park facing
- Aluminium powder coated screen with frame and plastic fly mesh to all openable sides of sliding doors and windows. Note design covenant requirements for estate may not permit diamond barrier screen, in this instance standard plastic fly screens to be provided (if in bushfire area screens are as per AS3959-2009)
- Brick rendered and/or cladding external walls with feature cladding painted as per architectural working drawings and client signed builders nominated colour scheme
- Windows and doors to have fibre cement cladding and/or beading above where required unless otherwise noted on elevations
- Under roof alfresco with exposed aggregate as per plan (site conditions permitting)
- All exterior colour finishes are from builders standard colour scheme as nominated

KITCHEN & APPLIANCES

- 2 Pac gloss, matt, or timber look cabinetry, soft close hinges and finger pull doors and drawers (no handles) with overhead cupboards and microwave recess as per plan
- Polished edge stone benchtops with breakfast bar
- 900mm upright stainless steel gas cooktop and oven in one
- Undermount rangehood built in to overhead cabinetry as per plan
- Stainless steel 1 ½ bowl underslung sink
- Stainless steel dishwasher
- Flickmixer gooseneck tapware – chrome/satin plated
- Single fridge water connection

SPECIFICATIONS OF WORKS

BATHROOM, TOILETS & ENSUITE

- Cabinetry – option of either 2 Pac gloss, matt or timber look wall hung vanity with solid soft close doors and 20mm stone benchtop
- Frameless mirror to width of vanity as per plan
- Built in and tiled bath hob with drop in acrylic white bathtub to bathroom only
- 3-in-1 Tastic heat lamp with light and exhaust as per plan
- Flickmixer tapware to shower/bath and vanity
- Shower screen – clear laminated in powder coated aluminium surround. Pivot or sliding door
- White 3.5 star ceramic toilet with soft close plastic toilet seat where shown on plan
- Niche to showers as depicted on plan
- Chrome double towel rail to bathroom and ensuite from builders range as per plan
- Chrome toilet holder adjacent each toilet from builders range as per plan

TILING

- Tile range, 600 x 600 polished or semi porous porcelain throughout as per plans, 600 x 600 polished or semi porous porcelain to shower and 600 x 300 rectified wall tiles and splashback as per colour scheme from builders range
- Feature tile option includes running floor tile up a selected wall in the showers, as well as up and over the bath hob as per plan
- Tiling to wet area walls is floor to ceiling in showers and 1100 to the remaining walls in bathroom and ensuite. Skirting tile to laundry and toilet as per selected colour scheme

ELECTRICAL

- Lighting – White fitted LED lights as per electrical plan
- External lighting – porch, alfresco and front of garage
- Double power points to all bedrooms and living areas
- Single power points to garage and kitchen
- Ducted air conditioning
- Air-con isolator on external wall
- 1 telephone point
- TV Antenna (if not in a Smartwire – OptiComm or Telstra Velocity area)
- RCD Safety switch
- 2 TV Points

- 2 Data Points
- White ceiling fans to all bedrooms, living and alfresco
- Instantaneous gas hot water system
- External power point to service gas hot water system
- Exhaust fan to toilet where shown on plans
- Smoke alarms to all bedrooms and applicable internal areas to conform with legislation at time of Building Approval

PAINTING

- Internal 3 coat paint system (1 coat of sealer & 2 coats of colour)
- Builders selection paint as per selected colour scheme
- Custom colour scheme if requested
- White colour finish to all ceilings and cornice
- White internal walls premium sealer & professional low sheen
- Feature paint work to front façade, as per selected colour scheme, plan and covenant requirements
- Doors – Aquanamel as per selected colour scheme
- Architraves, skirting and all doors are full- gloss as per selected colour scheme
- Soffit/eave lining – ceiling white colour finish
- Downpipes painted to match roof, fascia, gutter or wall

PLASTER

- To be supplied & installed in accordance with current Australian Standards
- 90mm cornice
- Ceilings & walls 10mm plasterboard
- Wet area walls 6mm villa board or 10mm waterproof plaster board

SPECIFICATIONS OF WORKS

INTERNAL FINISH

- Brushed silver Gainsborough/Lanes/Lockwood or equivalent door hardware with privacy to master and wet areas
- Door stops and/or clips to all swing doors
- Hume redicote flush finish pre-hung with chrome or satin hinges to internal doors
- Vinyl robe doors with brushed aluminium frame to robes in living areas, and mirrored robes to bedrooms
- Architrave 66mm x 11mm
- Skirting 66mm x 11mm
- Shelving: overhead shelf, hanging rail and set of of pidgin hole cupboards to all robes, two to master, 4 shelves to linen and walk in pantry, if a broom cupboard is provided a single overhead shelf is to be installed

OTHER FINISHES

- Carpet to all bedrooms and/or living as per plans and builders range selected colour scheme
- Wall or fence mounted clothesline
- Mail box with applicable street number to match home
- 2 Pac base cabinet to laundry to match kitchen with 20mm stone benchtop and drop in 35L or 45L stainless steel tub
- Locks to all windows and sliding doors
- Roller blinds to all clear glazed windows and sliding doors
- Bulk ceiling and/or external wall insulation to achieve required energy rating
- Wall sarking to achieve required energy rating
- Eaves as per plan – changes may be required to comply with council or covenant requirements
- Soffit/eave lining 4.5mm fibre cement sheet
- 31 x 11 finger joint beading to seal eaves and wall joint
- Gas regulator or gas meter fixed to external wall or fence

EXTERIOR & LANDSCAPING

- Turf/pebble and or mulch to site where possible with a garden bed to front as per covenant requirements (minimum garden beds to street front as per covenant requirements or 1 x 15m2 garden bed depending on site frontage and slope where possible) Batters to be mulched
- Exposed aggregate driveway, unless specified by developer or required to match existing driveway colour
- Exposed aggregate alfresco and front porch unless specified by developer or required to match existing driveway colour or deck depending on site conditions. Client may also request to have plain concrete to these areas if acceptable with developers' covenant guidelines
- Timber paling fencing to rear, sides and returns where no existing fence provided to site and where possible depending site conditions Fence to include 1 single gate with timber paling finish. Note covenant approval may require alternative fencing finish and requirements which are to be adhered to
- Pine and/or face brick rendered feature posts to porch where applicable



KARSTON
BUILDING GROUP



PH: 07 5502 6252
admin@karston.com.au
www.karston.com.au
ABN: 74 640 557 008
QBCC Licence: 15199098

DISCLAIMER

Current as at April 2023. This brochure is a guide only. Refer to quote or contract documentation for specific details. Standard inclusions are subject to availability and Karston Building Group reserves the right to alter the inclusions without notice. Speak to a New Home Consultant for more information.



Masterplan

100 lots | Lot sizes range from 302m² to 952m² | Lot frontages range from 12m to 15m+.

All lots are benched, levelled and retained to maximise your living space and minimise your cost to build. From easy to maintain courtyard lots to more traditional sized homesites with room to play, the choice is yours to suit your lifestyle.

*This plan is indicative only and every effort has been made to ensure accuracy. Registered survey plans or disclosure plans should be consulted and purchasers should carefully review information within the contract of sale prior to purchase.



Dalma St, Ormeau Hills QLD 4208
1800 703 378 | sales@elevateestate.com.au | elevateestate.com.au

Proudly developed by



Proudly marketed by







Elevate Your Lifestyle

Elevate at Ormeau Hills is an exciting, new community located in an elevated position in the thriving northern Gold Coast corridor.

Only minutes to local cafés, shops and schools, you can join a growing coastal lifestyle with so much more on offer.

Just 25km north of the Gold Coast CBD and 40km south of the Brisbane CBD, Elevate at Ormeau Hills is a high-quality, boutique lifestyle community. Homesites range in size from a low maintenance easy living 303m² courtyard lot to traditional family-sized lots up to 952m².

In such a high demand location on the Gold Coast, be quick to secure your place in this exciting, new community.



Only minutes to local cafés, shops and schools, you can join a growing coastal lifestyle with so much more on offer.

TRANSPORT


1. M1 on ramp to Brisbane 1km (1 min)
2. M1 on ramp to Gold Coast 1.5km (2 min)
3. Ormeau Train Station 3.7km (5 min)
4. Bus stop (Route 729) 600m (7 min walk)

RETAIL

1. Ormeau Town Centre 1km (2 min)
2. North Ormeau Town Centre 1.3km (3 min)

EDUCATION

1. Livingstone Christian College 2.8km (5 min)
2. Ormeau State School 3km (3 min)
3. Mother Teresa Catholic Primary School 3km (4 min)
4. Ormeau Woods State High School 3.9km (4 min)
5. LORDS 3.9km (4 min)
6. Kings Christian College 5.9km (7 min)
7. Norfolk Village State School 4.4km (6 min)



Work, Play, Relax

When planning to build your new home your location is so important. Elevate has all the established amenities you could need right now with so much more to come.

Positioned in a scenic and vibrant location in the thriving Gold Coast corridor the options to work, play or just relax are endless.

RETAIL

Only 1km from this new community is the existing Ormeau Town Centre, including Woolworths, IGA, Service Centre, health care and a range of specialty stores.

Just over 1km away is the future North Ormeau Town Centre, which is already under construction with Coles confirmed as the major tenant.

Within a short 10 minute drive is the new Westfield Coomera Shopping Centre, which has 140 specialty stores including Kmart, Target and Event Cinemas.

SPORTS & RECREATION

With easy access to some of south east Queensland's best theme parks, beaches and the Gold Coast hinterland on your doorstep, your fun weekend adventures of hiking, exploring and surfing await you.

Local sporting clubs offering Australian Rules, soccer, netball and tennis are all within minutes as are local parks and playing fields for a casual day out with the family and friends.

EDUCATION

There are a wide range of public and private schools to choose from in nearby Ormeau, Pimpama and Coomera, servicing prep to year 12. Various tertiary education options are easily accessible via the conveniently located major transport infrastructure, including the M1, Ormeau Train Station and Gold Coast bus routes.

The high level of established parks and green spaces as well as employment nodes in the immediate location means this is an ideal setting for families and couples to invest in their future.



Fast Facts



Easy access to Gold Coast beaches and the Brisbane CBD via the M1.

An abundance of local amenities with further shopping, retail and dining options coming soon.



Public, private, primary and secondary schools, along with childcare facilities – all here on your doorstep.

Convenient access to surrounding employment and commercial hubs in Ormeau and the Yatala region.



Effortless connection to public transport and major road networks.

Prime location in a high growth corridor of South East Queensland.







GOLD COAST CBD

PACIFIC HWY (M1)

Elevate
AT ORMEAU HILLS

Careful planning has gone into the design of all homesites to ensure frontages, depths and setbacks will facilitate a range of designs for you and your family to choose from.

Quality Family & Builder Friendly Homesites

Set in a key urban growth corridor of South East Queensland, Elevate is a brand new boutique community elevated high in Ormeau Hills.

With a range of homesites on offer and the flexibility of selecting your own builder, there are a range of home and land options just right for you.

Homesites are available in a range of sizes to suit all lifestyles. They will be benched and retained where necessary, in order to save you thousands on potential site costs while maximising the liveable space and views.

Careful planning has gone into the design of all homesites to ensure frontages, depths and setbacks will facilitate a range of designs for you and your family to choose from. Choose your own builder, select your own design or select from an array of home and land packages we have on offer from some of Queensland's best builders.

Elevate aims to create a pleasant living environment with quality homes to ensure your investment in your family's future is a sound one. Our Elevate Design Guidelines encourage quality homes whilst allowing a variety of styles and designs that will be harmonious, whilst not being onerous by stifling creativity. You are free to express your own design style to let your dream become a reality at Elevate.

About the Developer



CFMG Capital proudly brings quality residential communities to life.

We bring aspirational addresses to emerging suburbs and communities across Australia. Our ability to develop with focus, agility and experience means our residents benefit from well considered and carefully constructed communities.

Key to CFMG Capital's success is the ability to identify residential trends and potential for growth. We deliver quality residential communities in growth corridors with close proximity to lifestyle amenities, employment hubs and educational facilities.

By adhering to this criteria, CFMG Capital are able to ensure their communities are not just a wonderful place to live but a great place to invest in your future.

cfmgcapital.com.au







Dalma St, Ormeau Hills QLD 4208
1800 703 378 | sales@elevateestate.com.au | elevateestate.com.au

Proudly developed by



Proudly marketed by



EXPRESSION OF INTEREST



PROPERTY DETAILS:

Property Address:					
Purchase Price:			Deposit Amount:		
Deposit Method:	Direct Deposit	Card	Cash	Cheque	Other

BUYER 1 DETAILS:

As per drivers licence and passport

Full Name:	First:	Middle:	Last:
Address:	State:	Post Code:	
Email:	Mobile:		

BUYER 2 DETAILS:

As per drivers licence and passport

Full Name:	First:	Middle:	Last:
Address:	State:	Post Code:	
Email:	Mobile:		

Are you an Owner Occupier or Investor?	Owner Occupier	Investor
If you're an Owner Occupier, is this your First Home?	Yes	No
Do you require FIRB Approval?	Yes	No

FINANCE DETAILS:

Are you a cash buyer?	Yes	No
Do you have finance approval?	Yes	No
Have you attached the finance approval?	Yes	No
Proposed Finance Date:	Proposed Settlement Date:	
Any further information to provide:		

BROKER DETAILS:

Company Name:		Contact Name:	
Address:			
City/Suburb:	State:	Post Code:	
Phone:		Email:	

SOLICITOR DETAILS:

Solicitor Firm:		Contact Name:	
Address:			
City/Suburb:	State:	Post Code:	
Phone:		Email:	

CREDIT CARD DETAILS (if applicable):

Name on Card:		
Credit Card Number:		
Expiry Date:	CCV:	Type (E.g. Visa):
Amount:		
Signature:		

CONTRACT REQUIREMENTS:

Do you require any of the following in your contract?

Unconditional Offer:	Yes	No
Finance Clause:	Yes	No
Foreign Investment Review Board Approval:	Yes	No

Buyer Signatures: I hereby request the preparation of all contract documentation and if applicable will authorise the processing of my/our credit card.

	NAME	SIGNATURE	DATE
BUYER 1			
BUYER 2			

I consent to electronic communication and consent to receive the Contract and transaction documents electronically.